

Important Concepts . . .

Preview Review



Mathematics Grade 7

**W1 - Lesson 4: Fractions, Decimals, and
Percents**

Important Concepts of Grade 7 Mathematics

W1 - Lesson 1	Divisibility Rules
W1 - Lesson 2	Decimal Numbers
W1 - Lesson 3	Fractions
W1 - Lesson 4	Improper Fractions, Mixed Numbers, Percents, and Decimals
W1 - Lesson 5	Integers, Number Lines, and Sequencing
W1 - Quiz	
W2 - Lesson 1	Table of Values and Graphing Linear Equations
W2 - Lesson 2	Modeling Expressions, Equations, and the Preservation of Equality
W2 - Lesson 3	Algebra and Linear Equations
W2 - Lesson 4	Statistics
W2 - Lesson 5	Circle Graphs and Calculating Probability
W2 - Quiz	
W3 - Lesson 1	Circles
W3 - Lesson 2	Area of Triangles and Parallelograms
W3 - Lesson 3	Line Segments
W3 - Lesson 4	Parts and Plotting on a Cartesian Plane
W3 - Lesson 5	Transformations
W3 - Quiz	

Materials Required

Math Set
Calculator

No Textbook Required

This is a stand-alone course.

Mathematics Grade 7

Version 6

Preview/Review W1 - Lesson 4

ISBN 1-894894-75-8

Publisher: Alberta Distance Learning Centre

Written by: Sandy

Reviewed by: Barb Phillips

Project Coordinator: Donna Silgard

Preview/Review Publishing Coordinating Team:

Laura Renkema and Nicole McKeand



Alberta Distance Learning Centre has an Internet site that you may find useful. The address is as follows: <http://www.adlc.ca>

The use of the Internet is optional. Exploring the electronic information superhighway can be educational and entertaining. However, be aware that these computer networks are not censored. Students may unintentionally or purposely find articles on the Internet that may be offensive or inappropriate. As well, the sources of information are not always cited and the content may not be accurate. Therefore, students may wish to confirm facts with a second source.

ALL RIGHTS RESERVED


Copyright © 2010, by Alberta Distance Learning Centre, 4601-63 Avenue, Barrhead, Alberta, Canada, T7N 1P4. Additional copies may be obtained from Alberta Distance Learning Centre.

No part of this courseware may be reproduced or transmitted in any form, electronic or mechanical, including photocopying (unless otherwise indicated), recording, or any information storage and retrieval system, without the written permission of Alberta Distance Learning Centre.

Every effort has been made both to provide proper acknowledgement of the original source and to comply with copyright law. If cases are identified where this effort has been unsuccessful, please notify Alberta Distance Learning Centre so that appropriate corrective action can be taken.

IT IS STRICTLY PROHIBITED TO COPY ANY PART OF THESE MATERIALS UNDER THE TERMS OF A LICENCE FROM A COLLECTIVE OR A LICENSING BODY.

Preview/Review Concepts for Grade Seven Mathematics



W1 - Lesson 4:

***Fractions, Decimals, and
Percents***

W1 - Lesson 4: Fractions, Decimals, and Percents

Objective:


- I can change an improper fraction to a mixed number and back.

Mixed number: sum of a whole number and a proper fraction.

Example: $4\frac{6}{7}$

Improper fraction: when the numerator is greater than the denominator.

Example: $\frac{7}{2}$



Writing as a mixed number:

Number of whole pizzas: 2

Fraction of remaining pizza: $\frac{3}{4}$

The mixed number is written as: $2\frac{3}{4}$

Writing as a improper fraction:

Total remaining slices: 11

Number of slices per pizza: 4

The improper fraction then is: $\frac{11}{4}$

Converting mixed numbers to improper fractions:

Example: $3\frac{1}{4}$

1. Multiply the whole number by the denominator. (3×4)
2. Add step 1 to the numerator ($12 + 1$)
3. Write step 3 as a fraction over the original denominator $\frac{13}{4}$

Practice

Express the mixed number as an improper fraction.

a. $2\frac{2}{3} =$

b. $3\frac{3}{5} =$

c. $1\frac{2}{7} =$

d. $6\frac{1}{2} =$

e. $2\frac{4}{9} =$

f. $3\frac{1}{6} =$

Converting improper fractions to mixed numbers:

Example: $\frac{13}{3}$

1. Divide the numerator by the denominator ($13 \div 3$)
2. Write step 1 as the whole number and the remainder as a fraction over the original denominator ($4\frac{1}{3}$)

Practice

Express the improper fraction as a mixed number.

a. $\frac{11}{2} =$

b. $\frac{12}{5} =$

c. $\frac{23}{7} =$

d. $\frac{14}{3} =$

e. $\frac{14}{9} =$

f. $\frac{15}{6} =$

Objective:

- *I can add and subtract mixed numbers.*

Example 1: $4\frac{6}{7} - 2\frac{1}{2}$

1. Find a common denominator for the fractions.
2. Subtract the whole numbers.
3. Subtract fractions as usual.

7 and 2 are both factors of **14**.

Change: $\frac{6}{7} \rightarrow \frac{12}{14}$

Change: $\frac{1}{2} \rightarrow \frac{7}{14}$

Subtract: $4\frac{12}{14} - 2\frac{7}{14} = 2\frac{5}{14}$

Example 2: $1\frac{4}{9} + \frac{1}{2}$

Common denominator: **18**

Change: $\frac{4}{9} \rightarrow \frac{8}{18}$

Change: $\frac{1}{2} \rightarrow \frac{9}{18}$

Add: $1\frac{8}{18} + \frac{9}{18} = 1\frac{17}{18}$

Practice:

Solve. Express your answer in lowest terms.

a. $3\frac{1}{2} + \frac{5}{7} =$

b. $1\frac{4}{6} + 5\frac{1}{4} =$

c. $5\frac{2}{6} + 2\frac{1}{2} =$

d. $6\frac{1}{2} - 2\frac{3}{7} =$

e. $3\frac{3}{4} - \frac{1}{3} =$

f. $2\frac{4}{5} - 1\frac{2}{3} =$


Objective:

- *I can convert between fractions and decimal numbers.*

Terminating decimal: a number that is complete after a certain number of digits with no repeats.

Repeating decimal: a decimal number in which a block of one or more digits repeats in a pattern.

Converting fractions and terminating decimals:



The shaded area of this grid, as a fraction, is: $\frac{36}{100}$

The shaded area, written as a decimal, is: 0.36

Fractions with denominators of 10, 100, or 1000 are easy to convert into decimals by using place values.

Examples:

$\frac{2}{10} = 0.2$ (tenths place)

$\frac{7}{100} = 0.07$ (hundredths)


$\frac{4}{1000} = 0.004$ (thousandths)

But consider a fraction like $\frac{2}{5}$: What would it look like on a grid?

1. Write $\frac{2}{5}$ as a fraction with a denominator of 100: $\frac{\quad}{100}$
2. Shade in the same number of squares as the numerator.
3. Use the place value to determine the decimal: _____

Use your calculator to calculate $2 \div 5$.

What do you notice?



Example:

$$0.25 = \frac{25}{100} = \frac{1}{4}$$

$$0.3 = \frac{3}{10}$$

Practice

Convert the fractions to decimals, and the decimals to fractions.

a. $\frac{1}{5} =$

b. $\frac{6}{8} =$

c. $\frac{3}{20} =$

d. $\frac{6}{25} =$

e. $\frac{14}{40} =$

f. $\frac{9}{24} =$

g. $0.7 =$

h. $0.22 =$


i. $0.12 =$

j. $0.4 =$

k. $0.33 =$

l. $0.54 =$

Converting fractions and repeating decimals:




Bar notation: a method of writing a repeating decimal using a bar above the digits to represent a repeat.

Example 1:

$$\frac{5}{9} = 0.555\ 555\ 555\ 555\dots \Rightarrow 0.\overline{5}$$

$$\frac{2}{7} = 0.2857142857142857\dots \Rightarrow 0.\overline{285714}$$

**Example 2:**

$$\frac{1}{9} = 0.\bar{1}, \quad \frac{2}{9} = 0.\bar{2}, \quad \frac{3}{9} = 0.\bar{3}, \quad \frac{4}{9} = 0.\bar{4}$$

Predict

$$\frac{5}{9} = \underline{\quad}, \quad \frac{6}{9} = \underline{\quad}, \quad \frac{7}{9} = \underline{\quad}$$

Example 3: $0.\overline{27}$

Think: We know 0.3 is $\frac{3}{10}$, so the fraction must be a smaller fraction (smaller numerator or larger denominator) so it may be $\frac{2}{10}$ or $\frac{3}{11}$. Because $\frac{2}{10}$ is non repeating it must be $\frac{3}{11}$

Check: $3 \div 11 = 0.27272727\dots$

Practice

Convert the fractions to decimals, and the decimals to fractions.

a. $\frac{1}{7} =$

b. $\frac{2}{9} =$

c. $\frac{5}{11} =$

d. $\frac{6}{33} =$

e. $\frac{2}{99} =$

f. $\frac{7}{24} =$

g. $0.\bar{7} =$

h. $0.\overline{72} =$

i. $0.\overline{003} =$

j. $0.\overline{63} =$

k. $0.\overline{28514} =$

l. $0.1\bar{6} =$

Objective:

- *I can express a percent as a decimal number.*

Convert a percent into a decimal number by dividing by 100.

Examples:

$$78\% = 78 \div 100 = 0.78$$

$$24\% = 24 \div 100 = 0.24$$

Per cent: means "out of 100"

Practice

Write the percent as a decimal.

- $38\% =$
- $29\% =$
- $2\% =$
- $67\% =$
- $8\% =$

Practice

Write the decimal as a percent.

- $0.281 =$
- $0.458 =$
- $0.894 =$
- $0.676 =$
- $0.073 =$

Convert a decimal to a percent by multiplying by 100. Remember to round the answer if necessary.

Examples:

$$0.777 = 0.777 \times 100 = 78\%$$

$$0.542 = 0.542 \times 100 = 54\%$$

Objective:

- *I can express a percent as a fraction*

Convert a percent into a fraction by putting the percent as the numerator over a denominator of 100. Simplify.

Example:

$$75\% = \frac{75}{100} = \frac{3}{4}$$

$$35\% = \frac{35}{100} = \frac{7}{20}$$

Practice

Write the percent as a fraction.

a. $88\% =$

b. $27\% =$

c. $12\% =$

d. $6\% =$

e. $48\% =$

Practice

Write the fraction as a percent.

a. $\frac{25}{62} =$

b. $\frac{34}{53} =$

c. $\frac{19}{20} =$

d. $\frac{7}{85} =$


e. $\frac{5}{7} =$

Convert a fraction to a percent by first converting the fraction to a decimal and multiply by 100. Remember to round the answer.

Example: $\frac{28}{36}$

$$28 \div 36 = 0.777 \times 100 = 78\%$$

Converting mixed numbers to improper fractions:



1. How many squares are shaded: _____
- a. Write as a fraction: _____
- b. Write as a decimal: _____
- c. Write as a percent: _____
2. How many squares are white: _____
- a. Write as a fraction: _____
- b. Write as a decimal: _____
- c. Write as a percent: _____

3. Add the percent of shaded to the percent of white. What do you notice?

Objective:

- *I can use percents to solve problems.*

Proportion: two equivalent ratios or fractions ($\frac{1}{4}$ is proportional to $\frac{5}{20}$).

Practice

- a. 25% of 44 =
- b. 3% of 70 =
- c. 29% of 11 =
- d. 48% of 63 =
- e. 21% of 89 =

To calculate a percent of a number, multiply the number by the decimal equivalent of the percent.

Example: 40% of 60
 $= 0.40 \times 60$
 $= 24$

Calculating a number from a percent:

Create two proportional fractions to find the missing number.

Example:

25% of ____ = 10 $25\% = \frac{25}{100} = \frac{1}{4}$ $\frac{1}{4} = \frac{10}{?}$ the only answer that will fit in the blank and remain proportional is 40!

Practice

Convert the fractions to decimals, and the decimals to fractions.

- a. 12% of ____ = 54
- b. 20% of ____ = 45
- c. 30% of ____ = 27
- d. 4% of ____ = 24

Problem solving with percents:**Example 1:**

45% of a class with 20 students is boys. How many girls are there?

Method 1: 45% of 20 = number of boys

$$0.45 \times 20 = 9 \text{ boys}$$

$$20 \text{ students} - 9 \text{ boys} = 11 \text{ girls}$$

Method 2: 45% are boys, which means 100% - 45% are girls

$$= 55\% \text{ girls}$$

$$0.55 \times 20 = 11 \text{ girls}$$

Example 2:

How much would a 15% tip be on a meal costing \$48.50?

$$15\% \text{ of } 48.50 = 0.15 \times 48.50 = \$7.28$$

A 15% tip would be \$7.28.

Example 3:

35% of a sport shop's income is from hockey equipment. Last year the shop sold \$4970 in hockey equipment. What was the shop's total income?

35% of total income = hockey income

$$\frac{35}{100} = \frac{4970}{?} \quad \frac{7}{20} = \frac{4970}{?} \quad 4970 \div 7 = 710 \quad 20 \times 710 = \$14\,200$$

The shop made \$14 200 last year.

Summary and Practice:

- Using what you learned, answer the following questions.

1. Complete the chart.

Mixed number	Improper fraction	Model
$2\frac{1}{6}$		
	$\frac{26}{3}$	

2. Solve.

a. $1\frac{2}{5} + 4\frac{1}{2} =$

b. $3\frac{1}{2} + 2\frac{3}{8} =$

c. $5\frac{4}{5} - 1\frac{2}{3} =$

d. $9\frac{5}{6} - 2\frac{1}{4} =$

3. Convert the fractions to decimals. Decide if the fractions are $>$, $<$, or $=$.

a. $\frac{9}{11}$ $\frac{8}{14}$

b. $\frac{3}{13}$ $\frac{10}{17}$

4. Complete the table.

	Fraction	Decimal	Percent
a.	$\frac{11}{25}$		
b.		0.23	
c.			63%
d.			48%
e.		0.06	
f.	$\frac{3}{9}$		

5. Laura's curling team won 9 of 17 games. What percent of the games did her team win?

6. A bag of jelly beans has 32% cherry flavoured, 45% lemon, and the rest are grape flavoured. What percent of the jelly beans are grape flavoured?



Printed on 10%
Post-Consumer
Recycled Paper
Please Recycle

